

LUXA-31 (3-IN-1)

socket | stainless steel | integrated 24 V driver with switch
Product code: 631221



A double power socket with a controllable 24 V LED driver

LIMENTE LUXA-2 is designed for kitchen workspaces. The power socket can also be used to control the lighting in the kitchen workspace! LIMENTE LUXA-2 is quick and easy to install, and due to its design, the socket suits every type of lighting.

The power socket has an oblique design, which makes it easy to use. You are always able to clearly see the angle in which plugs are to be connected in the sockets. This way the sockets are always on hand and available!

[Learn more from our website](#)

Color choices

LIMENTE LUXA-2 is available in three different colors: stainless steel, white (RAL9003), and black (RAL9004).

Installation

Determine the place, where the power supply will be imported, or use an existing power supply cable. The socket must be installed in a corner ensuring the back sides of the socket do not remain open to exposure. The mounting takes place with the supplied screws. Please see further instructions in the installation guide.

[Learn more from our website](#)



THE FOLLOWING ITEMS ARE INCLUDED

- double socket
- integrated 30W driver controlled by an integrated switch
- 2 x driver for LED luminaires female with TOP connectors
- quick connector for connection
- plastic free packaging

LUXA-31 SOCKET SWITCH SS



OVERVIEW

PRODUCT CODE	631221
GTIN-CODE	6438400002920
ELECTRICAL NUMBER	2407133
ETIM GENERAL NAME	Socket outlet+switch
ETIM CLASS	Socket outlet EC000125
ETIM GROUP	24 Surface mounting socket-outlets and plugs
COLOUR	Stainless steel
LAMP TYPE	-

SPECIFICATIONS

PRODUCT DIMENSIONS	213.0 x 165.0 x 60.0
POSITION	To an interspace, Inside the cabin
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	-
COLOUR RENDERING INDEX CRI	-
RATED LIFE TIME	-
ENERGY EFFICIENCY CLASS	-
LUMINOUS FLUX	-
EFFICIENCY	-
VOLTAGE	240 V, 24 V DC
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	-
INPUT POWER	-
NUMBER OF SWITCHING CYCLES	-
AMBIENT TEMPERATURE RANGE	-20°C~45°C
INPUT POWER CONNECTOR	Fixed installation
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	-
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_luxa.pdf

LUXA-31 SOCKET SWITCH SS



LUXA-31 SOCKET SWITCH SS

